



6 Aug 2007

**RE:- BOSTIK PRODUCT VOC DECLARATION**

<b><u>Code</u></b>	<b><u>Product Name</u></b>	<b><u>VOC%</u></b>	<b><u>VOC g/Litre</u></b>	<b><u>Application</u></b>
247227	Seal'n'Flex FC - Grey	6.5	78	Joint Sealant
224200	Fireban 1	4.4	64	Joint sealant
Various	Seal'n'Flex 1	5.5	64	Joint Sealant
264229	Ultraseal Fillet Sealant	6.5	78	Fillet Sealant
263370	Moisture Seal	<1	6	Plant Rms, Paved Areas
Various	Roof & Gutter Silicone	<4	45	General
Various	Kitchen & Bathroom Silicone	<4	45	General Sanitary
260568	Ultraseal R 15Lt - Sandstone	17	187	Paved, Wet Areas
298255	Ultraseal R 15Lt - Grey	17	187	Paved, Wet Areas
Various	Ultraset Overlay Brown	4	44	Flooring
Various	Ultraset SF Brown	< 0.1	< 2	Flooring
Various	Ultraset Timber Floor Brown	6.1	80	Flooring
244295	Boscoseal P.U.	<20	200	Planter Box, Retain Wall
308692	Boscoseal AC2	0.2	<3	Plant Rooms
298476	Boscoseal AC 3	0.79	12	Paved & Wet Areas, Planters, Retaining
Walls				
Various	No More Nails	<25	287	Construction Adhesive
331686	Tuff as Nails	<25	287	Construction Adhesive
149055	Fill a Gap	<1	6	Gap filling
149055	Fire caulk	<1	6	Gap filling, Fire rated

**THE ABOVE PRODUCTS HAVE BEEN TESTED FOR VOC USING THE FOLLOWING MEASURE:**

Determining the % volatile component was achieved by reference to the empirical formulation of the Bostik product in most cases and/or determining % VOC by Bostik Quality Test Method BTM-N001 attached.

**DEAN TOOHEY**  
**Technical Manager R&D**  
**Construction & Distribution**

**Bostik Australia Pty Ltd**  
A.B.N. 79 003 893 838  
51-71 High Street (PO Box 50) Thomastown VIC 3074  
Tel: +61 3 9279 9333 Fax: +61 3 9279 9270  
[www.bostik.com.au](http://www.bostik.com.au)  
A company of TOTAL