



AEROFAST AUSTRALIA PTY LTD

ABN 23 068 361 455

ALL CORRESPONDENCE TO: PO Box 2225, Logan City DC Qld 4114

Website: www.aerofast.com.au

Brisbane – 8 Booran Drive, Woodridge Qld 4114

Ph: 07 3299 4555, Fax: 07 3299 4566

Email: sales@aerofast.com.au

Gold Coast – 1/13 John Duncan Court, Varsity Lakes Qld 4226

Ph: 07 5593 4550, Fax: 07 5593 4549

Email: coastsales@aerofast.com.au

Sunshine Coast – 2/34 Premier Circuit, Warana Qld 4575

Ph: (07) 5437 7737, Fax: (07) 5437 7886

Email: suncoastsales@aerofast.com.au

Masonry Fixings Product List





TABLE OF CONTENTS

MASONRY ANCHORS.....	PAGE 1
HEX SLEEVE ANCHOR – Z/Y FINISH	1
HEX SLEEVE ANCHOR – GALVANISED.....	1
HEX SLEEVE ANCHOR – 316 STAINLESS STEEL.....	1
MUSHROOM HEAD – NYLON ANCHOR	2
ROUND HEAD – NYLON ANCHOR	2
COUNTERSUNK – NYLON ANCHOR	2
ALL METAL – DRIVE ANCHOR [MPA].....	2
FAST DRIVE ANCHORS – ALL METAL.....	3
COUNTERSUNK SLEEVE ANCHOR – Z/Y FINISH.....	3
SUSPENSION SLEEVE ANCHOR – Z/Y FINISH	3
STUD ANCHORS (TRU-BOLTS) ZINC PLATED	4
STUD ANCHORS (TRU-BOLTS) GALVANISED	4
STUD ANCHORS (TRU-BOLTS) STAINLESS 316	4
DROP-IN ANCHOR.....	4
PLASTIC WALL PLUG.....	5
NYLON WALL PLUG.....	5
FRAME ANCHORS – HEX HEAD	5
FRAME ANCHORS – CSK HEAD	5
CHEMICAL CAPSULES	6
THREADED ROD ASSEMBLIES	6
POLYESTER EPOXY RESIN INJECTION SYSTEM	6
BLUE-TIP SCREW-BOLT CSK.....	7
TRDAC TOP PLATE TIE DOWN ANCHOR.....	7

HEX SLEEVE ANCHOR – Z/Y FINISH


PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53000010	6.5 x 35	6.5	30	6.0
53000015	6.5 x 55	6.5	30	26
53000020	6.5 x 75	6.5	40	27
53000040	8 x 40	8.0	32	8.0
53000060	8 x 65	8.0	35	30
53000070	8 x 85	8.0	35	50
53000075	10 x 40	10	35	6.0
53000080	10 x 50	10	40	10
53000085	10 x 60	10	40	30
53000090	10 x 75	10	40	37
53000097	10 x 97	10	40	59
53000098	10 x 125	10	45	75
53000100	12 x 60	12	50	10
53000105	12 x 75	12	50	25
53000110	12 x 100	12	50	50
53000120	12 x 130	12	50	80
53000125	16 x 65	16	55	10
53000130	16 x 111	16	55	56
53000135	16 x 147	16	55	92

HEX SLEEVE ANCHOR – GALVANISED


PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53020040	8 x 40	8.0	32	8.0
53020060	8 x 65	8.0	35	30
53020070	10 x 40	10	35	6.0
53020080	10 x 50	10	40	10
53020090	10 x 75	10	40	37
53020095	10 x 95	10	40	59
53020100	12 x 60	12	50	10
53020105	12 x 75	12	50	25
53020110	12 x 100	12	50	50

HEX SLEEVE ANCHOR – 316 STAINLESS STEEL


PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53010040	8 x 40	8.0	32	8.0
53010060	8 x 65	8.0	35	30
53010070	10 x 40	10	35	6.0
53010075	10 x 50	10	40	10
53010080	10 x 75	10	40	37
53010085	10 x 95	10	40	59
53010090	12 x 60	12	50	10
53010095	12 x 75	12	50	25
53010100	12 x 100	12	50	50

MUSHROOM HEAD – NYLON ANCHOR



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
52000015	5.0 x 25	5.0	18	7.0
52000025	6.5 x 25	6.5	18	7.0
52000030	6.5 x 38	6.5	20	18
52000035	6.5 x 50	6.5	20	30
52000040	6.5 x 75	6.5	25	50

ROUND HEAD – NYLON ANCHOR



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
52000050	5.0 x 25	5.0	18	7.0
52000070	6.5 x 25	6.5	18	7.0
52000075	6.5 x 38	6.5	20	18
52000080	6.5 x 50	6.5	20	30

COUNTERSUNK – NYLON ANCHOR



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
52000130	6.5 x 38	6.5	20	18
52000135	6.5 x 50	6.5	20	30
52000140	6.5 x 75	6.5	25	50

ALL METAL – DRIVE ANCHOR [MPA]

PLEASE NOTE: 75MM IS A ZAMAC SCREW NAIL ANCHOR



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
52030005	5.0 x 22	5.0	15	7.0
52030015	6.5 x 25	6.5	19	6.0
52030020	6.5 x 32	6.5	19	13
52030025	6.5 x 38	6.5	19	18
52030030	6.5 x 50	6.5	22	25
52030035	6.5 x 75 ZAMAC	6.5	40	35


E&OE

FAST DRIVE ANCHORS – ALL METAL				
				
PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
52400005	5.0 x 20	5.0	18.4	1.6
52400012	5.0 x 30	5.0	25	5.0
52400029	5.0 x 40	5.0	25	15
52400036	5.0 x 50	5.0	30	20
52400043	5.0 x 65	5.0	30	35
52400050	5.0 x 75	5.0	30	45

E&OE

COUNTERSUNK SLEEVE ANCHOR – Z/Y FINISH				
				
PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53030500	6.5 x 55	6.5	30	25
53030510	6.5 x 75	6.5	30	45
53030520	6.5 x 100	6.5	30	70
53030530	8 x 60	8.0	35	25
53030540	8 x 85	8.0	35	50
53030550	8 x 100	8.0	35	65
53030560	10 x 75	10	40	35
53030570	10 x 100	10	40	60
5303 0580	10 x 120	10	40	80

E&OE

SUSPENSION SLEEVE ANCHOR – Z/Y FINISH				
				
PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53040010	6.5 x 25	6.5	25	---
53040015	6.5 x 36	6.5	36	---

E&OE

STUD ANCHORS (TRU-BOLTS) ZINC PLATED



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53110008	M12 x 80	12	60	12
53110010	M12 x 100	12	60	25
53110020	M12 x 140	12	60	65
53110030	M16 x 105	16	80	10
53110045	M16 x 140	16	80	38

STUD ANCHORS (TRU-BOLTS) GALVANISED



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53112008	M12 x 80	12	60	12
53112010	M12 x 100	12	60	25
53112020	M12 x 140	12	60	65
53112030	M16 x 105	16	80	10
53112070	M16 x 140	16	80	38

E&OE

STUD ANCHORS (TRU-BOLTS) STAINLESS 316



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53113008	M12 x 80	12	60	12
53113010	M12 x 100	12	60	25
53113015	M12 x 135	12	60	65
53113030	M16 x 105	16	80	10
53113070	M16 x 140	16	80	38

E&OE

DROP-IN ANCHOR



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53100010	M6	8	30	---
53100015	M8	10	30	---
53100020	M10	12	40	---
53100025	M12	16	50	---

E&OE

PLASTIC WALL PLUG



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53120020	WHITE 25MM	5.0	25	---
53120025	RED 25MM	6.0	25	---
53120030	RED 30MM	6.0	30	---
53120035	RED 35MM	6.0	35	---
53120050	RED 50MM	6.0	50	---
53120065	GREEN 25MM	6.5	25	---
53120068	GREEN 30MM	6.5	30	---
53120070	GREEN 38MM	6.5	38	---
53120080	GREEN 50MM	6.5	50	---
53120110	BLUE 25MM	8.0	38	---
53120115	BLUE 38MM	8.0	50	---
53120120	BLUE 50MM			---

NYLON WALL PLUG



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
52240630	6 x 30	6.0	40	---
52240840	8 x 40	8.0	50	---
52241050	10 x 50	10	65	---
52241260	12 x 60	12	75	---

FRAME ANCHORS – HEX HEAD





PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53250080	10 x 80	10	70	10
53250100	10 x 100	10	90	10
53250120	10 x 120	10	90	30
53250140	10 x 140	10	90	50
53250160	10 x 160	10	90	70
53250200	10 x 200	10	90	90

FRAME ANCHORS – CSK HEAD



PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53251080	10 x 80	10	70	10
53251100	10 x 100	10	90	10
53251120	10 x 120	10	90	30
53251140	10 x 140	10	90	50
53251160	10 x 160	10	90	70
53251200	10 x 200	10	90	90

CHEMICAL CAPSULES				
				
PRODUCT CODE	ANCHOR SIZE (MM)	DRILL SIZE	MIN HOLE DEPTH (MM)	MATERIAL THICKNESS
53200005	M10	12	90	---
53200010	M12	14	110	---
53200015	M16	18	125	---
53200020	M20	25	170	---

THREADED ROD ASSEMBLIES			
			
ANCHOR SIZE (MM)	DRILL SIZE	GALV PRODUCT CODE	ZINC PRODUCT CODE
M10 x 130	12	53200200	53200105
M12 x 160	14	53200250	53200110
M16 x 190	18	53200290	53200115
M20 x 260	25	53200295	53200120

POLYESTER EPOXY RESIN INJECTION SYSTEM		
PRODUCT CODE	DESCRIPTION	
53230050	CHEMICAL INJECTION GUN	
53230000	CHEMICAL INJECTION PACK 380ML – 1 CARTRIDGE 1 MIXER	
53230010	MIXER NOZZLES	
POLYESTER EPOXY RESIN SYSTEM INJECTIONS PER 380ML CARTRIDGE		
STUD DIAMETER	HOLE SIZE RECOMMENDATION	INJECTIONS PER CARTRIDGE
8 MM	10 x 80MM	70
10 MM	12 x 90MM	50
12 MM	14 x 110MM	30
16 MM	18 x 125MM	20
20 MM	24 x 145MM	8
24 MM	28 x 180MM	6
<p>NOTE: ALL FIGURES BASED ON HOLES BEING DRILLED TO THE RECOMMENDED SIZE.</p> <ul style="list-style-type: none"> - ALL HOLES TO BE CLEAN AND FREE OF DUST. - INJECTIONS BASED ON HOLES 2/3'S FULL. - ALL FIGURES ARE SUBJECT TO VARIATION AND INFLUENCED BY USER APPLICATION AND WASTE. - THIS TABLE IS TO BE AS A GUIDE ONLY. - ALLOW FOR ALL VARIATIONS WHEN ORDERING. 		



E&OE

ANCHOR SIZE MM	DRILL SIZE MM	MAX GRIP MM	GALV PRODUCT CODE	ZINC PRODUCT CODE
5 x 50	5	25	53BTG550	53BT550
6.5 x 30	6.5	5	53BTG6530	53BT6530
6.5 x 50	6.5	25	53BTG6550	53BT6550
6.5 x 75	6.5	50	53BTG6575	53BT6575
6.5 x 100	6.5	75	53BTG65100	53BT65100
8 x 50	8	15	53BTG850	53BT850
8 x 60	8	25	53BTG860	53BT860
8 x 75	8	40	53BTG875	53BT875
8 x 100	8	65	53BTG8100	53BT8100
10 x 60	10	20	53BTG1060	53BT1060
10 x 75	10	35	53BTG1075	53BT1075
10 x 100	10	60	53BTG10100	53BT10100
10 x 120	10	80	53BTG10120	53BT10120
12 x 75	12	25	53BTG1275	53BT1275
12 x 100	12	50	53BTG12100	53BT12100
12 x 150	12	100	53BTG12150	53BT12150
16 x 100	16	35	53BTG16100	53BT16100
16 x 150	16	85	53BTG16150	53BT16150

BLUE-TIP SCREW-BOLT Csk



ANCHOR SIZE MM	DRILL SIZE MM	MAX GRIP MM	AF HEX DRIVE	BOX QTY	ZINC PRODUCT CODE
6.5 x 50	6.5	25	5	100	53BTCSK06550
6.5 x 75	6.5	50	5	50	53BTCSK06575
8 x 50	8	15	6	50	53BTCSK08050
8 x 75	8	40	6	50	53BTCSK08075
8 x 100	8	65	6	50	53BTCSK08100
10 x 60	10	20	8	50	53BTCSK10060
10 x 75	10	35	8	50	53BTCSK10075
10 x 100	10	60	8	50	53BTCSK10100
12 x 75	12	25	10	50	53BTCSK12075
12 x 100	12	50	10	50	53BTCSK12100
12 x 150	12	100	10	25	53BTCSK12150

TRDAC TOP PLATE TIE DOWN ANCHOR



ANCHOR SIZE MM	DRILL SIZE MM	THREAD SIZE MM	SOCKET SIZE MM	BOX QTY	ZINC PRODUCT CODE
12 x 100	12	12	19	25	53TRDAC12100
12 x 150	12	12	19	25	53TRDAC12150

E&OE